

## PUBLICACIONES DERIVADAS DE TESIS DOCTORALES PERIODO 2017-2022

### PROGRAMA DE DOCTORADO EN NANOCIENCIA Y TECNOLOGÍAS DE MATERIALES

#### 2022

1.- SELF-CLEANING DURABILITY ASSESSMENT OF  $\text{TiO}_2/\text{SiO}_2$  PHOTOCATALYSTS COATED CONCRETE: EFFECT OF INDOOR AND OUTDOOR CONDITIONS ON THE PHOTOCATALYTIC ACTIVITY

Khannyra, S.; Luna, M.; Gil, M.L.A.; Addou, M.; Mosquera, M.J.;

Building and Environment, Vol.211, Issue -, pp – (2022)

DOI: 10.1016/j.buildenv.2021.108743

Factor de Impacto: JCR(6,456), SJR(1,736)

Posición en categoría JCR: 6/136 Q1 T1 D1 (Engineering, Civil)

2.-  $\text{MoS}_2$ -BASED NANOFLUIDS AS HEAT TRANSFER FLUID IN PARABOLIC TROUGH COLLECTOR TECHNOLOGY

Martínez-Merino, P.; Alcántara, R.; Gómez-Larrán, P.; Carrillo-Berdugo, I.; Navas, J.;

Renewable Energy, Vol.188, Issue -, pp 721-730

DOI: 10.1016/j.renene.2022.02.069

Factor de Impacto: JCR(8,001), SJR(1,825)

Posición en categoría JCR: 7/44 Q1 T1 D2 (Green & Sustainable Science & Technology)

3.- SPECTROSCOPIC ELLIPSOMETRY STUDY ON TUNING THE ELECTRICAL AND OPTICAL PROPERTIES OF ZR-DOPED ZNO THIN FILMS GROWN BY ATOMIC LAYER DEPOSITION

Bohórquez, C.; Bakkali, H.; Delgado, J.J.; Blanco, E.; Herrera, M.; Domínguez, M.;

ACS Applied Electronic Materials, Vol.4, Issue 3, pp 925-935 (2022)

DOI: 10.1021/acsaelm.1c01026

Factor de Impacto: JCR(3,314), SJR(1,379)

Posición en categoría JCR: 95/273 Q2 T2 D4 (Engineering, Electrical & Electronic)

4.- SYNTHESIS OF SILVER NANOCOMPOSITES FOR STEREOLITHOGRAPHY: IN SITU FORMATION OF NANOPARTICLES

Valencia, L.M.; Herrera, M.; de la Mata, M.; de León, A.S.; Delgado, F.J.; Molina, S.I.;

Polymers, Vol.14, Issue 6, pp – (2022)

DOI: 10.3390/polym14061168

Factor de Impacto: JCR(4,329), SJR(0,770)  
Posición en categoría JCR: 18/88 Q1 T1 D3 (Polymer Science)

5.- APPLICATION OF ADVANCED (S)TEM METHODS FOR THE STUDY OF NANOSTRUCTURED POROUS FUNCTIONAL SURFACES: A FEW WORKING EXAMPLES  
Santos, A.J.; Lacroix, B.; Maudet, F.; Paumier, F.; Hurand, S.; Dupeyrat, C.; Gómez, V.J.; Huffaker, D.L.; Girardeau, T.; García, R.; Morales, F.M.;  
Materials Characterization, Vol.185, Issue -, pp – (2022)  
DOI: 10.1016/j.matchar.2022.111741  
Factor de Impacto: JCR(4,342), SJR(1,194)  
Posición en categoría JCR: 120/335 Q2 T2 D4 (Materials Science, Multidisciplinary)

6.- SYNTHESIS AND CHARACTERISATION OF ASA-PEEK COMPOSITES FOR FUSED FILAMENT FABRICATION  
Palacios-Ibáñez, B.; Relinque, J.J.; Moreno-Sánchez, D.; de León, A.S.; Delgado, F.J.; Escobar-Galindo, R.; Molina, S.I.;  
Polymers, Vol.14, Issue 3, pp – (2022)  
DOI: 10.3390/polym14030496  
Factor de Impacto: JCR(4,329), SJR(0,770)  
Posición en categoría JCR: 18/88 Q1 T1 D3 (Polymer Science)

7.- INTERFACE CHEMISTRY EFFECTS IN NANOFUIDS: EXPERIMENTAL AND COMPUTATIONAL STUDY OF OIL-BASED NANOFUIDS WITH GOLD NANOPATES  
Carrillo-Berdugo, I.; Sampalo-Guzmán, J.; Grau-Crespo, R.; Zorrilla, D.; Navas, J.;  
Journal of Molecular Liquids, Vol.362, Issue -, pp – (2022)  
DOI: 10.1016/j.molliq.2022.119762  
Factor de Impacto: JCR(6,165), SJR(0,929)  
Posición en categoría JCR: 4/37 Q1 T1 D2 (Physics, Atomic, Molecular & Chemical)

8.- INDUCED DAMAGE DURING STEM-EELS ANALYSES ON ACRYLIC-BASED MATERIALS FOR STEREOLITHOGRAPHY  
Valencia, L.M.; de la Mata, M.; Herrera, M.; Delgado, F.J.; Hernández-Saz, J.; Molina, S.I.;  
Polymer Degradation and Stability, Vol.203, Issue -, pp – (2022)  
DOI: 10.1016/j.polymdegradstab.2022.110044  
Factor de Impacto: JCR(5,030), SJR(0,925)  
Posición en categoría JCR: 12/88 Q1 T1 D2 (Polymer Science)

9.- PHOTOCATALYTIC TiO<sub>2</sub> NANOSHEETS-SiO<sub>2</sub> COATINGS ON CONCRETE AND LIMESTONE: AN ENHANCEMENT OF DE-POLLUTING AND SELF-CLEANING PROPERTIES BY NANOPARTICLE DESIGN  
Luna, M.; Delgado, J.J.; Romero, I.; Montini, T.; Almoraima Gil, M.L.; Martínez-López, J.; Fornasiero, P.; Mosquera, M.J.;  
Construction and Building Materials, Vol.338, Issue -, pp – (2022)  
DOI: 10.1016/j.conbuildmat.2022.127349  
Factor de Impacto: JCR(6,141), SJR(1,662)  
Posición en categoría JCR: 86/335 Q2 T1 D3 (Materials Science, Multidisciplinary)

10.- QUANTITATIVE EVALUATION OF SUPPORTED CATALYSTS KEY PROPERTIES FROM ELECTRON TOMOGRAPHY STUDIES: ASSESSING ACCURACY USING MATERIAL-REALISTIC 3D-MODELS

Bouzaine, A.; Muñoz-Ocaña, J.M.; Rodríguez-Chia, A.; Hungría, A.B.; Calvino, J.J.; López-Haro, M.;

Topics in Catalysis, Vol.-, Issue -, pp – (2022)

DOI: 10.1007/s11244-022-01634-1

Factor de Impacto: JCR(2,910), SJR(0,732)

Posición en categoría JCR: 32/74 Q2 T2 D5 (Chemistry, Applied)

11.- DYE DECOMPOSITION AND AIR DE-POLLUTION PERFORMANCE OF TiO<sub>2</sub>/SiO<sub>2</sub> AND N-TiO<sub>2</sub>/SiO<sub>2</sub> PHOTOCATALYSTS COATED ON PORTLAND CEMENT MORTAR SUBSTRATES

Khannyra, S.; Gil, M.L.A.; Addou, M.; Mosquera, M.J.;

Environmental Science and Pollution Research, Vol.-, Issue -, pp – (2022)

DOI: 10.1007/s11356-022-20228-8

Factor de Impacto: JCR(4,223), SJR(0,845)

Posición en categoría JCR: 91/274 Q2 T1 D4 (Environmental Sciences)

12.- TRACKING THE OPTICAL CONSTANTS OF POROUS VANADIUM DIOXIDE THIN FILMS DURING METAL-INSULATOR TRANSITION: INFLUENCE OF PROCESSING CONDITIONS ON THEIR APPLICATION IN SMART GLASSES

Outón, J.; Blanco, E.; Domínguez, M.; Bakkali, H.; Gonzalez-Leal, J.M.; Delgado, J.J.;

Ramírez-del-Solar, M.;

Applied Surface Science, Vol.580, Issue -, pp 152228(1)-152228(14)

DOI: 10.1016/j.apsusc.2021.152228

Factor de Impacto: JCR(6,707), SJR(1,295)

Posición en categoría JCR: 30/160 Q1 T1 D2 (Physics, Applied)

13.- CERAMIC POLYANILINE-CARBON COMPOSITE OBTAINED BY ULTRASOUND-ASSISTED SOL-GEL ROUTE: ELECTROCHEMICAL PERFORMANCE TOWARDS ENVIRONMENTAL POLLUTANTS

López-Iglesias, D.; Fanelli, F.; Marchi, L.; Alcántara, R.; Cocchi, M.; Cubillana-Aguilera, L.; Palacios-Santander, J.M.; García-Guzmán, J.J.;

Journal of Electroanalytical Chemistry, Vol.905, Issue -, pp 1159712 (1)-1159712 (12) (2022)

DOI: 10.1016/j.jelechem.2021.115971

Factor de Impacto: JCR(4,464), SJR(0,845)

Posición en categoría JCR: 20/83 Q1 T1 D3 (Chemistry, Analytical)

14.- TRANSPORT MECHANISM IN O-TERMINATED DIAMOND/ZrO<sub>2</sub> BASED MOSCAPS

Soto, B.; Cañas, J.; Villar, M.P.; Araujo, D.; Pernot, J.;

Diamond and Related Materials, Vol.121, Issue -, pp 108745(1)-108745(7) (2022)

DOI: 10.1016/j.diamond.2021.108745

Factor de Impacto: JCR(3,315), SJR(0,651)

Posición en categoría JCR: 53/160 Q2 T1 D4 (Physics, Applied)

## 2021

### 15.- INTERFACIAL MOLECULAR LAYERING ENHANCES SPECIFIC HEAT OF NANOFUIDS: EVIDENCE FROM MOLECULAR DYNAMICS

I. Carrillo-Berdugo, R. Grau-Crespo, D. Zorrilla, J. Navas

Journal of Molecular Liquids, 325 (2021)

DOI: <http://doi.org/10.1016/j.molliq.2020.115217>

Factor de Impacto: JCR(6,165), SJR(0,929)

Posición en categoría JCR: 4/37 Q1 T1 D2 (Physics, Atomic, Molecular & Chemical)

### 16.- COMPREHENSIVE NANOSCOPIC ANALYSIS OF TUNGSTEN CARBIDE/OXYGENATED-DIAMOND CONTACTS FOR SCHOTTKY BARRIER DIODES

G. Alba, D. Leinen, M.P. Villar, R. Alcántara, J.C. Piñero, A. Fiori, T. Teraji, D. Araújo

Applied Surface Science, 537 (2021)

DOI: <http://doi.org/10.1016/j.apsusc.2020.147874>

Factor de Impacto: JCR(6,707), SJR(1,295)

Posición en categoría JCR: 1/21 Q1 T1 D1 (Materials Science, Coatings & Films)

### 17.- EVALUATION OF DIFFERENT CAPPING STRATEGIES IN THE INAS/GAAS QD SYSTEM: COMPOSITION, SIZE AND QD DENSITY FEATURES

D. González, S. Flores, N. Ruiz-Marín, D.F. Reyes, L. Stanojević, A.D. Utrilla, A. Gonzalo, A. Gallego Carro, J.M. Ulloa, T. Ben

Applied Surface Science, 537 (2021)

DOI: <http://doi.org/10.1016/j.apsusc.2020.148062>

Factor de Impacto: JCR(6,707), SJR(1,295)

Posición en categoría JCR: 1/21 Q1 T1 D1 (Materials Science, Coatings & Films)

### 18.- OPTICAL AND TRANSPORT PROPERTIES OF METAL-OIL NANOFUIDS FOR THERMAL SOLAR INDUSTRY: EXPERIMENTAL CHARACTERIZATION, PERFORMANCE ASSESSMENT, AND MOLECULAR DYNAMICS INSIGHTS

I. Carrillo-Berdugo, P. Estellé, E. Sani, L. Mercatelli, R. Grau-Crespo, D. Zorrilla, J. Navas

ACS Sustainable Chemistry and Engineering, 9 (11), 4194-4205 (2021)

DOI: <http://doi.org/10.1021/acssuschemeng.1c00053>

Factor de Impacto: JCR(8,198), SJR(1,878)

Posición en categoría JCR: 14/143 Q1 T1 D1 (Engineering, Chemical)

### 19.- SILVER NANOSTRUCTURES - POLY(3,4-ETHYLENEDIOXYTHIOPHENE) SENSING MATERIAL PREPARED BY SINUSOIDAL VOLTAGE PROCEDURE FOR DETECTION OF ANTIOXIDANTS

J.J. García-Guzmán, D. López-Iglesias, L. Cubillana-Aguilera, D. Bellido-Milla, J.M.

Palacios-Santander, M. Marin, S.D. Grigorescu, C. Lete, S. Lupu

Electrochimica Acta, 393, 139082(1)-139082(11) (2021)

DOI: <http://doi.org/10.1016/j.electacta.2021.139082>

Factor de Impacto: JCR(6,901), SJR(1,534)

Posición en categoría JCR: 8/29 Q2 T1 D3 (Electrochemistry)

20.- COMPATIBILITY, EFFECTIVENESS AND SUSCEPTIBILITY TO DEGRADATION OF ALKOXYSILANE-BASED CONSOLIDATION TREATMENTS ON A CARBONATE STONE

G.M.C. Gemelli, R. Zarzuela, F. Fernandez, M.J. Mosquera

Journal of Building Engineering, 42, 102840(1)-102840(17) (2021)

DOI: <http://doi.org/10.1016/j.jobe.2021.102840>

Factor de Impacto: JCR(5,318), SJR(0,974)

Posición en categoría JCR: 13/136 Q1 T1 D1 (Engineering, Civil)

21.- E-TONGUES/NOSES BASED ON CONDUCTING POLYMERS AND COMPOSITE MATERIALS: EXPANDING THE POSSIBILITIES IN COMPLEX ANALYTICAL SENSING

A. Sierra-Padilla, J.J. García-Guzmán, D. López-Iglesias, J.M. Palacios-Santander, L. Cubillana-Aguilera

Sensors, 21 (15), 4976(1)-4976(26) (2021)

DOI: <http://doi.org/10.3390/s21154976>

Factor de Impacto: JCR(3,576), SJR(0,636)

Posición en categoría JCR: 14/64 Q1 T1 D3 (Instruments & Instrumentation)

22.- Cu-TiO<sub>2</sub>/SiO<sub>2</sub> PHOTOCATALYSTS FOR CONCRETE-BASED BUILDING MATERIALS: SELF-CLEANING AND AIR DE-POLLUTION PERFORMANCE

S. Khannyra, M.J. Mosquera, M. Addou, M.L.A. Gil

Construction and Building Materials, 313, 125419(1)-125419(15) (2021)

DOI: <http://doi.org/10.1016/j.conbuildmat.2021.125419>

Factor de Impacto: JCR(6,141), SJR(1,662)

Posición en categoría JCR: 7/136 Q1 T1 D1 (Engineering, Civil)

23.- ALKOXYSILANE-BASED CONSOLIDATION TREATMENTS: LABORATORY AND 3-YEARS IN-SITU ASSESSMENT TESTS ON BIOCALCARENITE STONE FROM ROMAN THEATRE (CÁDIZ)

G.M.C. Gemelli, R. Zarzuela, F. Alarcón-Castellano, M.J. Mosquera, M.L.A. Gil

Construction and Building Materials, 312, 125398(1)-125398(14) (2021)

DOI: <http://doi.org/10.1016/j.conbuildmat.2021.125398>

Factor de Impacto: JCR(6,141), SJR(1,662)

Posición en categoría JCR: 7/136 Q1 T1 D1 (Engineering, Civil)

24.- CONTROLLED GRAIN-SIZE THERMOCHROMIC VO<sub>2</sub> COATINGS BY THE FAST OXIDATION OF SPUTTERED VANADIUM OR VANADIUM OXIDE FILMS DEPOSITED AT GLANCING ANGLES

A.J. Santos, B. Lacroix, M. Domínguez, R. García, N. Martin, F.M. Morales

Surfaces and Interfaces, 27, 101581(1)-101581(13) (2021)

DOI: <http://doi.org/10.1016/j.surfin.2021.101581>

Factor de Impacto: JCR(4,837), SJR(0,712)

Posición en categoría JCR: 4/21 Q1 T1 D2 (Materials Science, Coatings & Films)

25.- A NOVEL ROUTE FOR THE EASY PRODUCTION OF THERMOCHROMIC VO<sub>2</sub> NANOPARTICLES

A.J. Santos, M. Escanciano, A. Suárez-Llorens, M. Pilar Yeste, F.M. Morales

Chemistry - A European Journal, 27 (67), 16662-16669 (2021)

DOI: <http://doi.org/10.1002/chem.202102566>  
Factor de Impacto: JCR(5,236), SJR(1,687)  
Posición en categoría JCR: 52/179 Q2 T1 D3 (Chemistry, Multidisciplinary)

26.- ALKYL-SILOXANE/ALKOXY-SILANE SOLS AS HYDROPHOBIC TREATMENTS FOR CONCRETE: A COMPARATIVE STUDY OF BULK VS SURFACE APPLICATION  
J. González-Coneo, R. Zarzuela, F. Elhaddad, L.M. Carrascosa, M.L.A. Gil, M.J. Mosquera  
Journal of Building Engineering, 46, 103729(1)-103729(16) (2021)  
DOI: <http://doi.org/10.1016/j.jobbe.2021.103729>  
Factor de Impacto: JCR(5,318), SJR(0,974)  
Posición en categoría JCR: 13/136 Q1 T1 D1 (Engineering, Civil)

27.- ENHANCED THERMOPHYSICAL PROPERTIES IN SPINEL  $\text{CuFe}_2\text{O}_4$ -BASED NANOFLUIDS FOR CONCENTRATED SOLAR POWER  
T. Aguilar, I. Carrillo-Berdugo, R. Alcántara, J. Navas  
International Journal of Energy Research, 1-11 (2021)  
DOI: <http://doi.org/10.1002/er.7484>  
Factor de Impacto: JCR(5,164), SJR(0,808)  
Posición en categoría JCR: 1/34 Q1 T1 D1 (Nuclear Science & Technology)

28.- ATOMICALLY RESOLVED TOMOGRAPHIC RECONSTRUCTION OF NANOPARTICLES FROM SINGLE PROJECTION: INFLUENCE OF AMORPHOUS CARBON SUPPORT  
P. Banerjee, C. Roy, S.K. De, A.J. Santos, F.M. Morales, S. Bhattacharyya  
Ultramicroscopy, 221, 113177[1]-146312[15] (2021)  
DOI: <http://doi.org/10.1016/j.ultramic.2020.113177>  
Factor de Impacto: JCR(2,689), SJR(1,29)  
Posición en categoría JCR: 4/9 Q2 T2 D5 (Microscopy)

## 2020

29.-  $\text{WSe}_2$  NANOSHEETS SYNTHESIZED BY A SOLVOTHERMAL PROCESS AS ADVANCED NANOFLUIDS FOR THERMAL SOLAR ENERGY  
P. Martínez-Merino, E. Sani, L. Mercatelli, R. Alcántara, J. Navas  
ACS Sustainable Chemistry and Engineering, 8 (3), 1627-1636 (2020)  
DOI: <http://doi.org/10.1021/acssuschemeng.9b06489>  
Factor de Impacto: JCR(8,198), SJR(1,878)

30.- USE OF  $\text{Au/N-TiO}_2/\text{SiO}_2$  PHOTOCATALYSTS IN BUILDING MATERIALS WITH NO DEPOLLUTING ACTIVITY  
M. Luna, J.M. Gatica, H. Vidal, M.J. Mosquera  
Journal of Cleaner Production, 243 (1), 118633[1]-118633[11] (2020)  
DOI: <http://doi.org/10.1016/j.jclepro.2019.118633>  
Factor de Impacto: JCR(9,297), SJR(1,937)  
Posición en categoría JCR: 3/44 Q1 T1 D1 (Green & Sustainable Science & Technology)

31.- THE EFFECT OF A COMPLEX A-SITE CATION AND MIXED HALIDES IN THE EMISSION PROPERTIES OF PEROVSKITE QUANTUM DOTS  
J.J. Gallardo, M. Rodríguez-Fernández, E. Blanco, J. Outón, J. Navas

Journal of Molecular Liquids, 314 (9:2020), 113674[1]-113674[8] (2020)  
DOI: <http://doi.org/10.1016/j.molliq.2020.113674>  
Factor de Impacto: JCR(6,165), SJR(0,929)  
Posición en categoría JCR: 4/37 Q1 T1 D2 (Physics, Atomic, Molecular & Chemical)

32.- ROLE OF SB ON THE VERTICAL-ALIGNMENT OF TYPE-II STRAIN-COUPLED INAS/GAASSB MULTI QUANTUM DOTS STRUCTURES  
N. Ruiz-Marín, D.F. Reyes, V. Braza, S. Flores, L. Stanojević, A. Gonzalo, J.M. Ulloa, T. Ben, D. González Journal of Alloys and Compounds, 832 (8:2020), 154914[1]-154914[7] (2020)  
DOI: <http://doi.org/10.1016/j.jallcom.2020.154914>  
Factor de Impacto: JCR(5,316), SJR(1,112)  
Posición en categoría JCR: 6/80 Q1 T1 D1 (Metallurgy & Metallurgical Engineering)

33.- DEVELOPMENT OF CARBON FIBER ACRYLONITRILE STYRENE ACRYLATE COMPOSITE FOR LARGE FORMAT ADDITIVE MANUFACTURING  
D.M. Sánchez, M. de la Mata, F.J. Delgado, V. Casal, S.I. Molina Materials and Design, 191 (6:2020), 108577[1]-108577[10] (2020)  
DOI: <http://doi.org/10.1016/j.matdes.2020.108577>  
Factor de Impacto: JCR(7,991), SJR(1,842)  
Posición en categoría JCR: 58/335 Q1 T1 D2 (Materials Science, Multidisciplinary)

34.- SURFACE STATES OF (100) O-TERMINATED DIAMOND: TOWARDS OTHER 1 × 1:O RECONSTRUCTION MODELS  
G. Alba, M. Pilar Villar, R. Alcántara, J. Navas, D. Araújo Nanomaterials, 10 (6), 1-15 (2020)  
DOI: <http://doi.org/10.3390/nano10061193>  
Factor de Impacto: JCR(5,076), SJR(0,919)  
Posición en categoría JCR: 35/160 Q1 T1 D3 (Physics, Applied)

35.- THE ROLE OF THE INTERACTIONS AT THE TUNGSTEN DISULPHIDE SURFACE IN THE STABILITY AND ENHANCED THERMAL PROPERTIES OF NANOFUIDS WITH APPLICATION IN SOLAR THERMAL ENERGY  
P. Martínez-Merino, A. Sánchez-Coronilla, R. Alcántara, E.I. Martín, I. Carrillo-Berdugo, R. Gómez-Villarejo, J. Navas Nanomaterials, 10 (5), 970[1]-970[16] (2020)  
DOI: <http://doi.org/10.3390/nano10050970>  
Factor de Impacto: JCR(5,076), SJR(0,919)  
Posición en categoría JCR: 35/160 Q1 T1 D3 (Physics, Applied)

36.- A SIMPLE, LONG-LASTING TREATMENT FOR CONCRETE BY COMBINING HYDROPHOBIC PERFORMANCE WITH A PHOTOINDUCED SUPERHYDROPHILIC SURFACE FOR EASY REMOVAL OF OIL POLLUTANTS  
L.A.M. Carrascosa, R. Zarzuela, N. Badreldin, M.J. Mosquera ACS applied materials & interfaces, 12 (17), 19974-19987 (2020)

DOI: <http://doi.org/10.1021/acsami.0c03576>

Factor de Impacto: JCR(9,229), SJR(2,535)

Posición en categoría JCR: 44/335 Q1 T1 D2 (Materials Science, Multidisciplinary)

### 37.- DIAMOND/ $\Gamma$ -ALUMINA BAND OFFSET DETERMINATION BY XPS

J. Cañas, G. Alba, D. Leinen, F. Lloret, M. Gutierrez, D. Eon, J. Pernot, E. Gheeraert, D. Araújo

Applied Surface Science, 535 (1), 146301[1]-146301[8] (2020)

DOI: <http://doi.org/10.1016/j.apsusc.2020.146301>

Factor de Impacto: JCR(6,707), SJR(1,295)

Posición en categoría JCR: 1/21 Q1 T1 D1 (Materials Science, Coatings & Films)

### 38.- FAST ELECTROANALYTICAL DETERMINATION OF CANNABIDIOL AND CANNABINOL IN AQUEOUS SOLUTION USING SONOGEL-CARBON-PEDOT DEVICES

D. López-Iglesias, J.J. García-Guzmán, C. Zanardi, J.M. Palacios-Santander, L. Cubillana-Aguilera, L. Pigani Journal of Electroanalytical Chemistry, 878 (12:2020), 114591[1]-114591[8] (2020)

DOI: <http://doi.org/10.1016/j.jelechem.2020.114591>

Factor de Impacto: JCR(4,464), SJR(0,845)

Posición en categoría JCR: 20/83 Q1 T1 D3 (Chemistry, Analytical)

### 39.- THE EFFECT OF OBLIQUE-ANGLE SPUTTERING ON LARGE AREA DEPOSITION: A UNIDIRECTIONAL ULTRATHIN AU PLASMONIC FILM GROWTH DESIGN

H. Bakkali, E. Blanco, M. Domínguez, M.B. de la Mora, C. Sánchez-Aké, M. Villagrán-Muniz, D.S. Schmool, B. Berini, S.E. Lofland

Nanotechnology, 31 (44), 445701[1]-445701[10] (2020)

DOI: <http://doi.org/10.1088/1361-6528/aba65b>

Factor de Impacto: JCR(3,874), SJR(0,926)

Posición en categoría JCR: 44/160 Q2 T1 D3 (Physics, Applied)

### 40.- STUDY OF EARLY STAGES IN THE GROWTH OF BORON-DOPED DIAMOND ON CARBON FIBERS

J. Millán-Barba, M. Gutiérrez, F. Lloret, R.G. de Villoria, R. Alcántara, K. Haenen, D. Araújo

Physica Status Solidi (A) Applications and Materials Science, 218 (5), 1-6 (2020)

DOI: <http://doi.org/10.1002/pssa.202000284>

Factor de Impacto: JCR(1,981), SJR(0,532)

Posición en categoría JCR: 100/160 Q3 T2 D7 (Physics, Applied)

### 41.- IN SITU APPLICATION OF A CONSOLIDANT ON THE ROMAN THEATRE OF CÁDIZ

G.M.C. Gemelli, M.J. Mosquera, M. Galán, A. Pelaez, J.M. Perez, M.L.A. Gil Montero Science and Digital Technology for Cultural Heritage & Interdisciplinary Approach to Diagnosis, Vulnerability, Risk Assessment and Graphic Information Models -

Proceedings of the 4th International Congress Science and Technology for the conservation of cultural heritage, TECHNOHERITAGE 2019, 1 (1), 353-357 (2020)

DOI: <http://doi.org/10.1201/9780429345470-67>



Factor de Impacto: No indexada  
Posición en categoría JCR: No indexada.

42.- HYDROXYL GROUPS INDUCE BIOACTIVITY IN SILICA/CHITOSAN AEROGELS DESIGNED FOR BONE TISSUE ENGINEERING. IN VITRO MODEL FOR THE ASSESSMENT OF OSTEOBLASTS BEHAVIOR

A. Perez-Moreno, M.d.I.V. Reyes-Peces, D.M. de los Santos, G. Pinaglia-Tobaruela, E. de la Orden, J.I. Vilches- Pérez, M. Salido, M. Piñero, N. de la Rosa-Fox  
Polymers, 12 (12), 1-22 (2020)

DOI: <http://doi.org/10.3390/polym12122802>

Factor de Impacto: JCR(4,329), SJR(0,77)

Posición en categoría JCR: 18/88 Q1 T1 D3 (Polymer Science)

43.- INSIGHTS INTO THE STABILITY AND THERMAL PROPERTIES OF WSE<sub>2</sub>-BASED NANOFLUIDS FOR CONCENTRATING SOLAR POWER PREPARED BY LIQUID PHASE EXFOLIATION

P. Martínez-Merino, A. Sánchez-Coronilla, R. Alcántara, E.I. Martín, J. Navas  
Journal of Molecular Liquids, 319 (12:2020), 114333[1]-114333[10] (2020)

DOI: <http://doi.org/10.1016/j.molliq.2020.114333>

Factor de Impacto: JCR(6,165), SJR(0,929)

Posición en categoría JCR: 4/37 Q1 T1 D2 (Physics, Atomic, Molecular & Chemical)

44.- CHITOSAN-GPTMS-SILICA HYBRID MESOPOROUS AEROGELS FOR BONE TISSUE ENGINEERING

M.V. Reyes-Peces, A. Pérez-Moreno, D.M. De-Los-santos, M.D.M. Mesa-Díaz, G. Pinaglia-Tobaruela, J.I. Vilches-Pérez, R. Fernández-Montesinos, M. Salido, N. de la Rosa-Fox, M. Piñero  
Polymers, 12 (11), 1-24 (2020)

DOI: <http://doi.org/10.3390/polym12112723>

Factor de Impacto: JCR(4,329), SJR(0,77)

Posición en categoría JCR: 18/88 Q1 T1 D3 (Polymer Science)

45.- UNDERSTANDING THE SPECIFIC HEAT ENHANCEMENT IN METAL-CONTAINING NANOFLUIDS FOR THERMAL ENERGY STORAGE: EXPERIMENTAL AND AB INITIO EVIDENCE FOR A STRONG INTERFACIAL LAYERING EFFECT

I. Carrillo-Berdugo, S.D. Midgley, R. Grau-Crespo, D. Zorrilla, J. Navas  
ACS Applied Energy Materials, 3 (9), 9246-9256 (2020)

DOI: <http://doi.org/10.1021/acsaem.0c01556>

Factor de Impacto: JCR(6,024), SJR(1,833)

Posición en categoría JCR: 87/335 Q2 T1 D3 (Materials Science, Multidisciplinary)

46.- DIVERGENCE OF THE DIELECTRIC CONSTANT IN ULTRATHIN GRANULAR METAL FILMS NEAR THE PERCOLATION THRESHOLD

H. Bakkali, E. Blanco, S.E. Lofland, M. Domínguez

New Journal of Physics, 22 (8), 083018[1]-083018[8] (2020)

DOI: <http://doi.org/10.1088/1367-2630/aba021>

Factor de Impacto: JCR(3,729), SJR(1,584)  
Posición en categoría JCR: 22/85 Q2 T1 D3 (Physics, Multidisciplinary)

47.- SIMULTANEOUS OPTICAL AND ELECTRICAL CHARACTERIZATION OF GAN NANOWIRE ARRAYS BY MEANS OF VIS-IR SPECTROSCOPIC ELLIPSOMETRY  
A.J. Santos, B. Lacroix, E. Blanco, S. Hurand, V.J. Gómez, F. Paumier, T. Girardeau, D.L. Huffaker, R. García, F.M. Morales  
Journal of Physical Chemistry C, 124 (2020), 1535-1543 (2020)  
DOI: <http://doi.org/10.1021/acs.jpcc.9b10556>  
Factor de Impacto: JCR(4,126), SJR(1,401)  
Posición en categoría JCR: 124/335 Q2 T2 D4 (Materials Science, Multidisciplinary)

48.- FORMATION MECHANISMS OF AGGLOMERATIONS IN HIGH-DENSITY InAs/GaAs QUANTUM DOT MULTI-LAYER STRUCTURES  
N. Ruiz-Marín, D.F. Reyes, V. Braza, S. Flores, A. Gonzalo, J.M. Ulloa, T. Ben, D. González  
Applied Surface Science, 508 (4:2020), 145218[1]-145218[7] (2020)  
DOI: <http://doi.org/10.1016/j.apsusc.2019.145218>  
Factor de Impacto: JCR(6,707), SJR(1,295)  
Posición en categoría JCR: 1/21 Q1 T1 D1 (Materials Science, Coatings & Films)

49.- PRODUCING C-S-H GEL BY REACTION BETWEEN SILICA OLIGOMERS AND PORTLANDITE: A PROMISING APPROACH TO REPAIR CEMENTITIOUS MATERIALS  
R. Zarzuela, M. Luna, L.M. Carrascosa, M.P. Yeste, I. Garcia-Lodeiro, M.T. Blanco-Varela, M.A. Cauqui, J.M. Rodríguez-Izquierdo, M.J. Mosquera  
Cement and Concrete Research, 130 (4:2020), 106008[1]-106008[15] (2020)  
DOI: <http://doi.org/10.1016/j.cemconres.2020.106008>  
Factor de Impacto: JCR(10,933), SJR(4,628)  
Posición en categoría JCR: 2/66 Q1 T1 D1 (Construction & Building Technology)

50.- NOVEL WS<sub>2</sub>-BASED NANOFUIDS FOR CONCENTRATING SOLAR POWER: PERFORMANCE CHARACTERIZATION AND MOLECULAR-LEVEL INSIGHTS  
P. Martínez-Merino, S.D. Midgley, E.I. Martín, P. Estellé, R. Alcántara, A. Sánchez-Coronilla, R. Grau-Crespo, J. Navas  
ACS applied materials & interfaces, 12 (5), 5793-5804 (2020)  
DOI: <http://doi.org/10.1021/acsami.9b18868>  
Factor de Impacto: JCR(9,229), SJR(2,535)  
Posición en categoría JCR: 44/335 Q1 T1 D2 (Materials Science, Multidisciplinary)

51.- BORON NITRIDE NANOTUBES-BASED NANOFUIDS WITH ENHANCED THERMAL PROPERTIES FOR USE AS HEAT TRANSFER FLUIDS IN SOLAR THERMAL APPLICATIONS  
R. Gómez-Villarejo, P. Estellé, J. Navas  
Solar Energy Materials and Solar Cells, 205 (2:2020), 110266[1]-110266[13] (2020)  
DOI: <http://doi.org/10.1016/j.solmat.2019.110266>  
Factor de Impacto: JCR(7,267), SJR(1,839)  
Posición en categoría JCR: 28/160 Q1 T1 D2 (Physics, Applied)

## 2019

### 52.- ASSESSMENT OF THE POLYPHENOL INDICES AND ANTIOXIDANT CAPACITY FOR BEERS AND WINES USING A TYROSINASE-BASED BIOSENSOR PREPARED BY SINUSOIDAL CURRENT METHOD

J.J. García-Guzmán, D. López-Iglesias, L. Cubillana-Aguilera, C. Lete, S. Lupu, J.M. Palacios-Santander, D. Bellido-Milla

Sensors, 19 (66), 1-14 (2019)

DOI: <http://doi.org/10.3390/s19010066>

Factor de Impacto: JCR(3,275), SJR(0,653)

Posición en categoría JCR: 15/64 Q1 T1 D3 (Instruments & Instrumentation)

### 53.- ONE-POT SYNTHESIS OF Au/N-TiO<sub>2</sub> PHOTOCATALYSTS FOR ENVIRONMENTAL APPLICATIONS: ENHANCEMENT OF DYES AND NOX PHOTODEGRADATION

M. Luna, J.M. Gatica, H. Vidal, M.J. Mosquera

Powder Technology, 355 , 793-807 (2019)

DOI: <http://doi.org/10.1016/j.powtec.2019.07.102>

Factor de Impacto: JCR(4,142), SJR(0,998)

Posición en categoría JCR: 31/143 Q1 T1 D3 (Engineering, Chemical)

### 54.- CATALYTIC PERFORMANCE OF Ni/CeO<sub>2</sub>/X-ZrO<sub>2</sub> (X = Ca, Y) CATALYSTS IN THE AQUEOUS-PHASE REFORMING OF METHANOL

D. Goma, J.J. Delgado, L. Lefferts, J. Faria, J.J. Calvino, M.Á. Cauqui

Nanomaterials, 9 (11 ), 1582[1]-1582[18] (2019)

DOI: <http://doi.org/10.3390/nano9111582>

Factor de Impacto: JCR(4,324), SJR(0,858)

Posición en categoría JCR: 89/314 Q2 T1 D3 (Materials Science, Multidisciplinary)

### 55.- STABILITY AND THERMAL PROPERTIES STUDY OF METAL CHALCOGENIDE-BASED NANOFLUIDS FOR CONCENTRATING SOLAR POWER

P. Martínez-Merino, T. Aguilar, J.J. Gallardo, I. Carrillo-Berdugo, R. Gómez-Villarejo, M. Rodríguez- Fernández, J. Navas

Energies, 12 (24 ), 4632[1]-4632[11] (2019)

DOI: <http://doi.org/10.3390/en12244632>

Factor de Impacto: JCR(2,702), SJR(0,635)

Posición en categoría JCR: 63/112 Q3 T2 D6 (Energy & Fuels)

### 56.- ORMOSILS LOADED WITH SiO<sub>2</sub> NANOPARTICLES FUNCTIONALIZED WITH Ag AS MULTIFUNCTIONAL SUPERHYDROPHOBIC/BIOCIDAL/CONSOLIDANT TREATMENTS FOR BUILDINGS CONSERVATION

R. Zarzuela, M. Carbú, M.L.A. Gil, J.M. Cantoral, M.J. Mosquera

Nanotechnology, 30 (34) (2019)

DOI: <http://doi.org/10.1088/1361-6528/ab1ff0>

Factor de Impacto: JCR(3,551), SJR(1,026)

Posición en categoría JCR: 40/154 Q2 T1 D3 (Physics, Applied)

### 57.- INTERFACE-INSPIRED FORMULATION AND MOLECULAR-LEVEL PERSPECTIVES ON HEAT CONDUCTION AND ENERGY STORAGE OF NANOFLUIDS

I. Carrillo-Berdugo, D. Zorrilla, J. Sánchez-Márquez, T. Aguilar, J.J. Gallardo, R. Gómez-Villarejo, R. Alcántara, C. Fernández-Lorenzo, J. Navas  
Scientific Reports, 9 (1), 7595[1]-7595[13] (2019)  
DOI: <http://doi.org/10.1038/s41598-019-44054-0>  
Factor de Impacto: JCR(3,998), SJR(1,341)  
Posición en categoría JCR: 17/71 Q1 T1 D3 (Multidisciplinary Sciences)

58.- SURFACE OXIDATION OF AMORPHOUS Si AND Ge SLANTED COLUMNAR AND MESOPOROUS THIN FILMS: EVIDENCE, SCRUTINY AND LIMITATIONS FOR INFRARED OPTICS

A.J. Santos, B. Lacroix, F. Maudet, A. Corvisier, F. Paumier, C. Dupeyrat, T. Girardeau, R. García, F.M. Morales  
Applied Surface Science, 493, 807-817 (2019)  
DOI: <http://doi.org/10.1016/j.apsusc.2019.07.064>  
Factor de Impacto: JCR(6,182), SJR(1,23)  
Posición en categoría JCR: 1/21 Q1 T1 D1 (Materials Science, Coatings & Films)

59.- Au-TiO<sub>2</sub>/SiO<sub>2</sub> PHOTOCATALYSTS FOR BUILDING MATERIALS: SELF-CLEANING AND DE-POLLUTING PERFORMANCE

M. Luna, M.J. Mosquera, H. Vidal, J.M. Gatica  
Building and Environment, 164, 106347[1]-106347[9] (2019)  
DOI: <http://doi.org/10.1016/j.buildenv.2019.106347>  
Factor de Impacto: JCR(4,971), SJR(1,871)  
Posición en categoría JCR: 4/134 Q1 T1 D1 (Engineering, Civil)

60.- MODELLING OF BISMUTH SEGREGATION IN InAsBi/InAs SUPERLATTICES: DETERMINATION OF THE EXCHANGE ENERGIES

S. Flores, D.F. Reyes, V. Braza, R.D. Richards, F. Bastiman, T. Ben, N. Ruiz-Marín, J.P.R. David, D. González Applied Surface Science, 485, 29-34 (2019)  
DOI: <http://doi.org/10.1016/j.apsusc.2019.04.188>  
Factor de Impacto: JCR(6,182), SJR(1,23)  
Posición en categoría JCR: 1/21 Q1 T1 D1 (Materials Science, Coatings & Films)

61.- Au-TiO<sub>2</sub>/SiO<sub>2</sub> PHOTOCATALYSTS WITH NOX DEPOLLUTING ACTIVITY: INFLUENCE OF GOLD PARTICLE SIZE AND LOADING

M. Luna, J.M. Gatica, H. Vidal, M.J. Mosquera  
Chemical Engineering Journal, 368, 417-427 (2019)  
DOI: <http://doi.org/10.1016/j.cej.2019.02.167>  
Factor de Impacto: JCR(10,652), SJR(2,315)  
Posición en categoría JCR: 4/143 Q1 T1 D1 (Engineering, Chemical)

62.- EFFECT OF THE THERMAL ANNEALING AND THE NOMINAL COMPOSITION IN THE ELEMENTAL DISTRIBUTION OF In<sub>x</sub>Al<sub>1-x</sub>As<sub>y</sub>Sb<sub>1-y</sub> FOR TRIPLE JUNCTION SOLAR CELLS

J. Hernández-Saz, M. Herrera, J. Pizarro, M. Gonzalez, J. Abell, R. Walters, P.L. Galindo, S. Duguay, S.I. Molina  
Journal of Alloys and Compounds, 1021-1027 (2019)  
DOI: <http://doi.org/10.1016/j.jallcom.2019.04.119>

Factor de Impacto: JCR(4,65), SJR(1,055)  
Posición en categoría JCR: 8/79 Q1 T1 D2 (Metallurgy & Metallurgical Engineering)

63.- IMPROVING THE ACTIVITY AND STABILITY OF YSZ-SUPPORTED GOLD POWDER CATALYST BY MEANS OF ULTRATHIN, COHERENT, CERIA OVERLAYERS. ATOMIC SCALE STRUCTURAL INSIGHTS

R. Manzorro, W.E. Celín, J.A. Pérez-Omil, J.J. Calvino, S. Trasobares  
ACS Catalysis, 9 (6), 5157-5170 (2019)  
DOI: <http://doi.org/10.1021/acscatal.8b04412>  
Factor de Impacto: JCR(12,35), SJR(4,633)  
Posición en categoría JCR: 12/159 Q1 T1 D1 (Chemistry, Physical)

64.- NITROGEN MAPPING FROM ADF IMAGING ANALYSIS IN QUATERNARY DILUTE NITRIDE SUPERLATTICES

N. Ruiz-Marín, D.F. Reyes, V. Braza, A. Gonzalo, T. Ben, S. Flores, A.D. Utrilla, J.M. Ulloa, D. González Applied Surface Science, 475, 473-478 (2019)  
DOI: <http://doi.org/10.1016/j.apsusc.2018.12.228>  
Factor de Impacto: JCR(6,182), SJR(1,23)  
Posición en categoría JCR: 1/21 Q1 T1 D1 (Materials Science, Coatings & Films)

65.- COMPREHENSIVE (S)TEM CHARACTERIZATION OF POLYCRYSTALLINE GaN/AIN LAYERS GROWN ON LTCC SUBSTRATES

J.J. Jiménez, J.M. Manuel, H. Bartsch, J. Breiling, R. García, H.O. Jacobs, J. Müller, J. Pezoldt, F.M. Morales  
Ceramics International, 45 (7), 9114-9125 (2019)  
DOI: <http://doi.org/10.1016/j.ceramint.2019.01.250>  
Factor de Impacto: JCR(3,83), SJR(0,891)  
Posición en categoría JCR: 2/28 Q1 T1 D1 (Materials Science, Ceramics)

66.- (S)TEM METHODS CONTRIBUTIONS TO IMPROVE THE FABRICATION OF InGaN THIN FILMS ON Si, AND InN NANOSTRUCTURES ON FLAT Si AND ROUGH InGaN

J.J. Jiménez, J.M. Manuel, P. Aseev, P.E.D. Soto Rodríguez, R. Nötzel, Ž. Gačević, E. Calleja, R. García, F.M. Morales  
Journal of Alloys and Compounds, 783, 697-708 (2019)  
DOI: <http://doi.org/10.1016/j.jallcom.2018.12.319>  
Factor de Impacto: JCR(4,65), SJR(1,055)  
Posición en categoría JCR: 8/79 Q1 T1 D2 (Metallurgy & Metallurgical Engineering)

67.- POROSITY CONTROL FOR PLASMA-ASSISTED MOLECULAR BEAM EPITAXY OF GaN NANOWIRES

V.J. Gómez, A.J. Santos, E. Blanco, B. Lacroix, R. García, D.L. Huffaker, F.M. Morales  
Crystal Growth and Design, 19 (4), 2431-2469 (2019)  
DOI: <http://doi.org/10.1021/acs.cgd.9b00146>  
Factor de Impacto: JCR(4,089), SJR(1,004)  
Posición en categoría JCR: 5/26 Q1 T1 D2 (Crystallography)

68.- CONTROL OF NITROGEN INHOMOGENEITIES IN TYPE-I AND TYPE-II GaAsSbN SUPERLATTICES FOR SOLAR CELL DEVICES

N. Ruiz, V. Braza, A. Gonzalo, D. Fernández, T. Ben, S. Flores, J.M. Ulloa, D. González  
Nanomaterials, 9 (4), 623[1]-623[9] (2019)

DOI: <http://doi.org/10.3390/nano9040623>

Factor de Impacto: JCR(4,324), SJR(0,858)

Posición en categoría JCR: 89/314 Q2 T1 D3 (Materials Science, Multidisciplinary)

69.- EXPERIMENTAL ANALYSIS OF WATER-BASED NANOFUIDS USING BORON NITRIDE NANOTUBES WITH IMPROVED THERMAL PROPERTIES

R. Gómez-Villarejo, T. Aguilar, S. Hamze, P. Estellé, J. Navas

Journal of Molecular Liquids, 277, 93-103 (2019)

DOI: <http://doi.org/10.1016/j.molliq.2018.12.093>

Factor de Impacto: JCR(5,065), SJR(0,883)

Posición en categoría JCR: 4/37 Q1 T1 D2 (Physics, Atomic, Molecular & Chemical)

70.- DEVELOPMENT OF SURFACE-COATED POLYLACTIC ACID/POLYHYDROXYALKANOATE (PLA/PHA) NANOCOMPOSITES

J.J. Relinque, A.S. de León, J. Hernández-Saz, M.G. García-Romero, F.J. Navas-Martos, G. Morales-Cid, S.I. Molina

Polymers, 11 (3), 400[1]-400[12] (2019)

DOI: <http://doi.org/10.3390/polym11030400>

Factor de Impacto: JCR(3,426), SJR(0,704)

Posición en categoría JCR: 16/89 Q1 T1 D2 (Polymer Science)

71.- STRUCTURAL CHARACTERIZATION OF BULK AND NANOPARTICLE LEAD HALIDE PEROVSKITE THIN FILMS BY (S)TEM TECHNIQUES

N. Fernández-Delgado, M. Herrera, F.J. Delgado, A.H. Tavabi, M. Luysberg, R.E. Dunin-Borkowski, E.J. Juárez- Pérez, B.C. Hames, I. Mora-Sero, I. Suárez, J.P. Martínez-Pastor, S.I. Molina

Nanotechnology, 30 (13), 135701[1]-135701[13] (2019)

DOI: <http://doi.org/10.1088/1361-6528/aafc85>

Factor de Impacto: JCR(3,551), SJR(1,026)

Posición en categoría JCR: 40/154 Q2 T1 D3 (Physics, Applied)

72.- NANOSTRUCTURE AND PHYSICAL PROPERTIES CONTROL OF INDIUM TIN OXIDE FILMS PREPARED AT ROOM TEMPERATURE THROUGH ION BEAM SPUTTERING DEPOSITION AT OBLIQUE ANGLES

B. Lacroix, A.J. Santos, S. Hurand, A. Corvisier, F. Paumier, T. Girardeau, F. Maudet, C. Dupeyrat, R. García, F.M. Morales

Journal of Physical Chemistry C, 123 (22), 14036-14046 (2019)

DOI: <http://doi.org/10.1021/acs.jpcc.9b02885>

Factor de Impacto: JCR(4,189), SJR(1,477)

Posición en categoría JCR: 90/314 Q2 T1 D3 (Materials Science, Multidisciplinary)

73.- DESIGN AND DEVELOPMENT OF A PARAMETRIZABLE ELECTRIC GUITAR THROUGH ADDITIVE MANUFACTURING [DISEÑO Y DESARROLLO DE UNA GUITARRA ELÉCTRICA PARAMETRIZABLE MEDIANTE PROCESOS DE FABRICACIÓN ADITIVA]

D. Moreno-Nieto, G. De-La-Herrán, R. Bienvenido, S. Molina

Dyna (Spain), 94 (1), 26-31 (2019)

DOI: <http://doi.org/10.6036/8672>

Factor de Impacto: JCR(0,781), SJR(0,163)

Posición en categoría JCR: 76/91 Q4 T3 D9 (Engineering, Multidisciplinary)

74.- LARGE-FORMAT FUSED DEPOSITION ADDITIVE MANUFACTURING: A REVIEW

D. Moreno Nieto, S.I. Molina

Rapid Prototyping Journal (2019)

DOI: <http://doi.org/10.1108/RPJ-05-2018-0126>

Factor de Impacto: JCR(3,099), SJR(0,841)

Posición en categoría JCR: 31/130 Q1 T1 D3 (Engineering, Mechanical)

75.- BIOSYNTHESIS OF UNIFORM ULTRA-SMALL GOLD NANOPARTICLES BY AGED DRACAENA DRACO L EXTRACTS

M. Luna, R. Zarzuela, M.J. Mosquera, M.L.A. Gil, L.M. Cubillana-Aguilera, J.J. Delgado-Jaén, J.M. Palacios- Santander, V. García-Moreno, Y. Carmona-Jiménez

Colloids and Surfaces A: Physicochemical and Engineering Aspects, 581 , 123744[1]-123744[9] (2019) DOI: <http://doi.org/10.1016/j.colsurfa.2019.123744>

Factor de Impacto: JCR(3,99), SJR(0,78)

Posición en categoría JCR: 58/159 Q2 T2 D4 (Chemistry, Physical)

## 2018

76.- INFLUENCE OF THE ADDITIVATION OF GRAPHENE-LIKE MATERIALS ON THE PROPERTIES OF POLYAMIDE FOR POWDER BED FUSION

J.J. Relinque, M.G. García-Romero, J. Hernández-Saz, J. Navas, J. Gil-Mena, D.L. Sales, G. Morales-Cid, D. Aguilera, A. Periñan, F. Lasagni, S.I. Molina

Progress in Additive Manufacturing, 3 (4), 233-244 (2018)

DOI: <http://doi.org/10.1007/s40964-018-0056-0>

Factor de Impacto: No indexada

Posición en categoría JCR: No indexada.

77.- THE SONOGEL-CARBON-PEDOT MATERIAL: AN INNOVATIVE BULK MATERIAL FOR SENSOR DEVICES

D. López-Iglesias, J.J. García-Guzmán, D. Bellido-Milla, I. Naranjo-Rodríguez, J.M. Palacios-Santander, L. Cubillana-Aguilera

Journal of the Electrochemical Society, 165 (16), 906-915 (2018)

DOI: <http://doi.org/10.1149/2.1021816jes>

Factor de Impacto: JCR(3,12), SJR(1,138)

Posición en categoría JCR: 4/20 Q1 T1 D2 (Materials Science, Coatings & Films)

78.- LARGE-FORMAT POLYMERIC PELLET-BASED ADDITIVE MANUFACTURING FOR THE NAVAL INDUSTRY

Nieto Moreno, López Casal, S.I. Molina  
Additive Manufacturing, 23, 79-85 (2018)  
DOI: <http://doi.org/10.1016/j.addma.2018.07.012>  
Factor de Impacto: JCR(7,173), SJR(2,591)  
Posición en categoría JCR: 1/49 Q1 T1 D1 (Engineering, Manufacturing)

79.- TOWARDS THE IMPROVEMENT OF THE GLOBAL EFFICIENCY OF CONCENTRATING SOLAR POWER PLANTS BY USING PT-BASED NANOFLUIDS: THE INTERNAL MOLECULAR STRUCTURE EFFECT

R. Gómez-Villarejo, E.I. Martín, A. Sánchez-Coronilla, T. Aguilar, J.J. Gallardo, P. Martínez-Merino, I. Carrillo- Berdugo, R. Alcántara, C. Fernández-Lorenzo, J. Navas  
Applied Energy, 228, 2262-2274 (2018)  
DOI: <http://doi.org/10.1016/j.apenergy.2018.07.062>  
Factor de Impacto: JCR(8,426), SJR(3,455)  
Posición en categoría JCR: 5/138 Q1 T1 D1 (Engineering, Chemical)

80.- HIGH RESOLUTION BORON CONTENT PROFILOMETRY AT  $\Delta$ -DOPING EPITAXIAL DIAMOND INTERFACES BY CTEM

J.C. Piñero, F. Lloret, M.P. Alegre, M.P. Villar, A. Fiori, E. Bustarret, D. Araújo  
Applied Surface Science, 461, 221-226 (2018)  
DOI: <http://doi.org/10.1016/j.apsusc.2018.07.097>  
Factor de Impacto: JCR(5,155), SJR(1,115)  
Posición en categoría JCR: 1/20 Q1 T1 D1 (Materials Science, Coatings & Films)

81.- DETERMINATION OF ALUMINA BANDGAP AND DIELECTRIC FUNCTIONS OF DIAMOND MOS BY STEM- VEELS

J. Cañas, J.C. Piñero, F. Lloret, M. Gutierrez, T. Pham, J. Pernot, D. Araújo  
Applied Surface Science, 461, 93-97 (2018)  
DOI: <http://doi.org/10.1016/j.apsusc.2018.06.163>  
Factor de Impacto: JCR(5,155), SJR(1,115)  
Posición en categoría JCR: 1/20 Q1 T1 D1 (Materials Science, Coatings & Films)

82.- COMPOSITIONAL INHOMOGENEITIES IN TYPE-I AND TYPE-II SUPERLATTICES FOR GaAsSbN-BASED SOLAR CELLS: EFFECT OF THERMAL ANNEALING

V. Braza, D.F. Reyes, A. Gonzalo, A.D. Utrilla, J.M. Ulloa, S. Flores, T. Ben, D. González  
Applied Surface Science, 459, 1-8 (2018)  
DOI: <http://doi.org/10.1016/j.apsusc.2018.07.184>  
Factor de Impacto: JCR(5,155), SJR(1,115)  
Posición en categoría JCR: 1/20 Q1 T1 D1 (Materials Science, Coatings & Films)

83.- MODELLING OF THE Sb AND N DISTRIBUTION IN TYPE II GaAsSb/GaAsN SUPERLATTICES FOR SOLAR CELL APPLICATIONS

D.F. Reyes, V. Braza, A. Gonzalo, A.D. Utrilla, J.M. Ulloa, T. Ben, D. González  
Applied Surface Science, 442, 664-672 (2018)  
DOI: <http://doi.org/10.1016/j.apsusc.2018.02.113>  
Factor de Impacto: JCR(5,155), SJR(1,115)  
Posición en categoría JCR: 1/20 Q1 T1 D1 (Materials Science, Coatings & Films)



84.- STRUCTURAL AND CHEMICAL CHARACTERIZATION OF CdSe-ZnS CORE-SHELL QUANTUM DOTS

N. Fernández-Delgado, M. Herrera, A.H. Tavabi, M. Luysberg, R.E. Dunin-Borkowski, P.J. Rodríguez-Cantó, R. Abargues, J.P. Martínez-Pastor, S.I. Molina

Applied Surface Science, 457, 93-97 (2018)

DOI: <http://doi.org/10.1016/j.apsusc.2018.06.149>

Factor de Impacto: JCR(5,155), SJR(1,115)

Posición en categoría JCR: 1/20 Q1 T1 D1 (Materials Science, Coatings & Films)

85.- THREE-DIMENSIONAL DIAMOND MPCVD GROWTH OVER MESA STRUCTURES: A GEOMETRIC MODEL FOR GROWTH SECTOR CONFIGURATION

F. Lloret, D. Araújo, D. Eon, E. Bustarret

Crystal Growth and Design, 18 (12), 7628-7632 (2018)

DOI: <http://doi.org/10.1021/acs.cgd.8b01424>

Factor de Impacto: JCR(4,153), SJR(1,046)

Posición en categoría JCR: 3/26 Q1 T1 D2 (Crystallography)

86.- INFLUENCE OF THE GROWTH TEMPERATURE ON THE COMPOSITION DISTRIBUTION AT SUB-NM SCALE OF InAlAsSb FOR SOLAR CELLS

J. Hernández-Saz, M. Herrera, J. Pizarro, P.L. Galindo, M. Gonzalez, J. Abell, R.J. Walters, S.I. Molina, S. Duguay

Journal of Alloys and Compounds, 763, 1005-1011 (2018)

DOI: <http://doi.org/10.1016/j.jallcom.2018.05.333>

Factor de Impacto: JCR(4,175), SJR(1,065)

Posición en categoría JCR: 6/76 Q1 T1 D1 (Metallurgy & Metallurgical Engineering)

87.- MoS<sub>2</sub> NANOSHEETS VS. NANOWIRES: PREPARATION AND A THEORETICAL STUDY OF HIGHLY STABLE AND EFFICIENT NANOFLUIDS FOR CONCENTRATING SOLAR POWER

J. Navas, P. Martínez-Merino, A. Sánchez-Coronilla, J.J. Gallardo, R. Alcántara, E.I. Martín, J.C. Piñero, J.R. León, T. Aguilar, J.H. Toledo, C. Fernández-Lorenzo

Journal of Materials Chemistry A, 6 (30), 14919-14929 (2018)

DOI: <http://doi.org/10.1039/c8ta03817a>

Factor de Impacto: JCR(10,733), SJR(3,372)

Posición en categoría JCR: 6/103 Q1 T1 D1 (Energy & Fuels)

88.- HAADF-STEM FOR THE ANALYSIS OF CORE-SHELL QUANTUM DOTS

N. Fernández-Delgado, M. Herrera, J. Pizarro, P. Galindo, S.I. Molina

Journal of Materials Science, 53 (21), 15226-15236 (2018)

DOI: <http://doi.org/10.1007/s10853-018-2694-5>

Factor de Impacto: JCR(3,442), SJR(0,823)

Posición en categoría JCR: 82/293 Q2 T1 D3 (Materials Science, Multidisciplinary)

89.- EXPERIMENTAL CHARACTERIZATION AND THEORETICAL MODELLING OF Ag AND Au-NANOFLUIDS: A COMPARATIVE STUDY OF THEIR THERMAL PROPERTIES

R. Gómez-Villarejo, E.I. Martín, A. Sánchez-Coronilla, T. Aguilar, M. Teruel, R. Alcántara,

I. Carrillo-Berdugo, C. Fernández-Lorenzo, J. Navas

Journal of Nanofluids, 7 (6), 1059-1068 (2018)

DOI: <http://doi.org/10.1166/jon.2018.1544>

Factor de Impacto: SJR(0,289)

Posición en categoría JCR: No indexada.

90.- ANALYTICAL DETERMINATION OF THE REDUCING AND STABILIZATION AGENTS PRESENT IN DIFFERENT ZOSTERA NOLTII EXTRACTS USED FOR THE BIOSYNTHESIS OF GOLD NANOPARTICLES

R. Zarzuela, M.J. Luna, M.L.A. Gil, M.J. Ortega, J.M. Palacios-Santander, I. Naranjo-Rodríguez, J.J. Delgado, L.M. Cubillana-Aguilera

Journal of Photochemistry and Photobiology B: Biology, 179, 32-38 (2018)

DOI: <http://doi.org/10.1016/j.jphotobiol.2017.12.025>

Factor de Impacto: JCR(4,067), SJR(0,773)

Posición en categoría JCR: 14/72 Q1 T1 D2 (Biophysics)

91.- GAUSSIAN KERNEL DENSITY FUNCTIONS FOR COMPOSITIONAL QUANTIFICATION IN ATOM PROBE TOMOGRAPHY

J. Hernández-Saz, J. Pizarro, M. Herrera, S.I. Molina, P.L. Galindo

Materials Characterization, 139, 63-69 (2018)

DOI: <http://doi.org/10.1016/j.matchar.2018.02.033>

Factor de Impacto: JCR(3,22), SJR(1,295)

Posición en categoría JCR: 4/33 Q1 T1 D2 (Materials Science, Characterization & Testing)

92.- TiO<sub>2</sub>-SiO<sub>2</sub> COATINGS WITH A LOW CONTENT OF AuNPs FOR PRODUCING SELF-CLEANING BUILDING MATERIALS

M. Luna, J.J. Delgado, M.L.A. Gil, M.J. Mosquera

Nanomaterials, 8 (3), 177[1]-177[26] (2018)

DOI: <http://doi.org/10.3390/nano8030177>

Factor de Impacto: JCR(4,034), SJR(0,896)

Posición en categoría JCR: 71/293 Q1 T1 D3 (Materials Science, Multidisciplinary)

93.- CRYSTALLINE DEFECTS INDUCED DURING MPCVD LATERAL HOMOEPITAXIAL DIAMOND GROWTH

F. Lloret, D. Eon, E. Bustarret, D. Araújo

Nanomaterials, 8 (10), 814[1]-814[10] (2018)

DOI: <http://doi.org/10.3390/nano8100814>

Factor de Impacto: JCR(4,034), SJR(0,896)

Posición en categoría JCR: 71/293 Q1 T1 D3 (Materials Science, Multidisciplinary)

94.- BORON-DOPING PROXIMITY EFFECTS ON DISLOCATION GENERATION DURING NON-PLANAR MPCVD HOMOEPITAXIAL DIAMOND GROWTH

F. Lloret, D. Eon, E. Bustarret, A. Fiori, D. Araújo

Nanomaterials, 8 (7), 480[1]-480[7] (2018)

DOI: <http://doi.org/10.3390/nano8070480>

Factor de Impacto: JCR(4,034), SJR(0,896)  
Posición en categoría JCR: 71/293 Q1 T1 D3 (Materials Science, Multidisciplinary)

95.- ENGINEERING OF III-NITRIDE SEMICONDUCTORS ON LOW TEMPERATURE CO-FIRED CERAMICS

J.M. Manuel, J.J. Jiménez, F.M. Morales, B. Lacroix, A.J. Santos, R. García, E. Blanco, M. Domínguez, M. Ramírez, A.M. Beltrán, D. Alexandrov, J. Tot, R. Dubreuil, V. Videkov, S. Andreev, B. Tzaneva, H. Bartsch, J. Breiling, J. Pezoldt, M. Fischer, J. Müller  
Scientific Reports, 8 (1), 6879[1]-6879[14] (2018)  
DOI: <http://doi.org/10.1038/s41598-018-25416-6>  
Factor de Impacto: JCR(4,011), SJR(1,414)  
Posición en categoría JCR: 15/69 Q1 T1 D3 (Multidisciplinary Sciences)

96.- DEVELOPMENT OF SONOGEL-CARBON BASED BIOSENSORS USING SINUSOIDAL VOLTAGES AND CURRENTS METHODS

J.J. García Guzmán, L.C. Aguilera, D.B. Milla, I.N. Rodríguez, C. Lete, J.M. Palacios Santander, S. Lupu  
Sensors and Actuators, B: Chemical, 255, 1525-1535 (2018)  
DOI: <http://doi.org/10.1016/j.snb.2017.08.161>  
Factor de Impacto: JCR(6,393), SJR(1,389)  
Posición en categoría JCR: 2/61 Q1 T1 D1 (Instruments & Instrumentation)

97.- AN ELLIPSOMETRIC ANALYSIS TO MODEL THE ORDER-DISORDER TRANSITION IN Au-SiO<sub>2</sub> NANO- GRANULAR THIN FILMS INDUCED BY THERMAL ANNEALING

H. Bakkali, E. Blanco, M. Amrani, J. Brigui, M. Domínguez  
Thin Solid Films, 660, 455-462 (2018)  
DOI: <http://doi.org/10.1016/j.tsf.2018.06.045>  
Factor de Impacto: JCR(1,888), SJR(0,531)  
Posición en categoría JCR: 74/148 Q2 T2 D5 (Physics, Applied)

98.- MOS<sub>2</sub>/CU/TIO<sub>2</sub> NANOPARTICLES: SYNTHESIS, CHARACTERIZATION AND EFFECT ON PHOTOCATALYTIC DECOMPOSITION OF METHYLENE BLUE IN WATER UNDER VISIBLE LIGHT

D. De Los Santos, S. Chahid, R. Alcántara, J. Navas, T. Aguilar, J.J. Gallardo, R. Gómez-Villarejo, I. Carrillo- Berdugo, C. Fernández-Lorenzo  
Water Science and Technology, 2017 (1), 184-193 (2018)  
DOI: <http://doi.org/10.2166/wst.2018.101>  
Factor de Impacto: JCR(1,624), SJR(0,455)  
Posición en categoría JCR: 58/91 Q3 T2 D7 (Water Resources)

99.- LONG-TERM EFFECTIVENESS, UNDER A COASTAL ENVIRONMENT, OF A NOVEL CONSERVATION NANOMATERIAL APPLIED ON SANDSTONE FROM A ROMAN ARCHAEOLOGICAL SITE

F. Elhaddad, L.A.M. Carrascosa, M.J. Mosquera  
Journal of Cultural Heritage, 34, 208-217 (2018)  
DOI: <http://doi.org/10.1016/j.culher.2018.04.013>  
Factor de Impacto: JCR(1,955), SJR(0,61)  
Posición en categoría JCR: 103/196 Q3 T2 D6 (Geosciences, Multidisciplinary)

100.- EVALUATION OF THE EFFECTIVENESS OF CuONPS/SiO<sub>2</sub>-BASED TREATMENTS FOR BUILDING STONES AGAINST THE GROWTH OF PHOTOTROPHIC MICROORGANISMS

R. Zarzuela, I. Moreno-Garrido, J. Blasco, M.L.A. Gil, M.J. Mosquera

Construction and Building Materials, 187, 501-509 (2018)

DOI: <http://doi.org/10.1016/j.conbuildmat.2018.07.116>

Factor de Impacto: JCR(4,046), SJR(1,522)

Posición en categoría JCR: 9/132 Q1 T1 D1 (Engineering, Civil)

101.- THE EFFECT OF Cu-DOPED TiO<sub>2</sub> PHOTOANODE ON PHOTOVOLTAIC PERFORMANCE OF DYE-SENSITIZED SOLAR CELLS.

S. Chahid, D.M. de los Santos, R. Alcántara

ACM International Conference Proceeding Series (2018)

DOI: <http://doi.org/10.1145/3286606.3286854>

Factor de Impacto: SJR(0,169)

Posición en categoría JCR: No indexada.

102.- NEW CONSOLIDANT-HYDROPHOBIC TREATMENT BY COMBINING SiO<sub>2</sub> COMPOSITE AND FLUORINATED ALKOXYSILANE: APPLICATION ON DECAYED BIOCALCAREOUS STONE FROM AN 18TH CENTURY CATHEDRAL

D.S. Facio, J.A. Ordoñez, M.L.A. Gil, L.A.M. Carrascosa, M.J. Mosquera

Coatings, 8 (5) (2018)

DOI: <http://doi.org/10.3390/coatings8050170>

Factor de Impacto: JCR(2,33)

Posición en categoría JCR: 7/20 Q2 T2 D4 (Materials Science, Coatings & Films)

103.- LONG-TERM EFFECTIVENESS, UNDER A MOUNTAIN ENVIRONMENT, OF A NOVEL CONSERVATION NANOMATERIAL APPLIED ON LIMESTONE FROM A ROMAN ARCHAEOLOGICAL SITE

F. Elhaddad, L.A.M. Carrascosa, M.J. Mosquera

Materials, 11 (5) (2018)

DOI: <http://doi.org/10.3390/ma11050694>

Factor de Impacto: JCR(2,972), SJR(0,686)

Posición en categoría JCR: 102/293 Q2 T2 D4 (Materials Science, Multidisciplinary)

## 2017

104.- STRUCTURAL AND COMPOSITIONAL ANALYSIS OF CORE/SHELL QDs BY TRANSMISSION ELECTRON

N. Fernández-Delgado, M. Herrera-Collado, J. Pizarro, P. Galindo, P. Rodríguez-cantó, R. Abargues, J. Martínez-pastor, S.I. Molina

Microscopy and Microanalysis, 23 (1), 1768-1769 (2017)

DOI: <http://doi.org/10.1017/S1431927617009503>

Factor de Impacto: JCR(2,124), SJR(0,292)

Posición en categoría JCR: 3/10 Q2 T1 D3 (Microscopy)

105.- AG-BASED NANOFLUIDIC SYSTEM TO ENHANCE HEAT TRANSFER FLUIDS FOR CONCENTRATING SOLAR POWER: NANO-LEVEL INSIGHTS

R. Gómez-Villarejo, E.I. Martín, J. Navas, A. Sánchez-Coronilla, T. Aguilar, J.J. Gallardo, R. Alcántara, D. De los Santos, I. Carrillo-Berdugo, C. Fernández-Lorenzo  
Applied Energy, 194, 19-29 (2017)  
DOI: <http://doi.org/10.1016/j.apenergy.2017.03.003>  
Factor de Impacto: JCR(7,9), SJR(3,162)  
Posición en categoría JCR: 4/137 Q1 T1 D1 (Engineering, Chemical)

106.- OPTICAL PROPERTIES OF Au–TiO<sub>2</sub> AND Au–SiO<sub>2</sub> GRANULAR METAL THIN FILMS STUDIED BY SPECTROSCOPIC ELLIPSOMETRY

H. Bakkali, E. Blanco, M. Domínguez, M.B. de la Mora, C. Sánchez-Aké, M. Villagrán-Muniz  
Applied Surface Science, 405, 240-246 (2017)  
DOI: <http://doi.org/10.1016/j.apsusc.2017.01.293>  
Factor de Impacto: JCR(4,439), SJR(1,093)  
Posición en categoría JCR: 1/19 Q1 T1 D1 (Materials Science, Coatings & Films)

107.- ATOMIC COMPOSITION OF WC/ AND Zr/O-TERMINATED DIAMOND SCHOTTKY INTERFACES CLOSE TO IDEALITY

J.C. Piñero, D. Araújo, A. Fiori, A. Traoré, M.P. Villar, D. Eon, P. Muret, J. Pernot, T. Teraji  
Applied Surface Science, 395, 200-207 (2017)  
DOI: <http://doi.org/10.1016/j.apsusc.2016.04.166>  
Factor de Impacto: JCR(4,439), SJR(1,093)  
Posición en categoría JCR: 1/19 Q1 T1 D1 (Materials Science, Coatings & Films)

108.- TWINS AND STRAIN RELAXATION IN ZINC-BLENDE GaAs NANOWIRES GROWN ON SILICON

J.C. Piñero, D. Araújo, C.E. Pastore, M. Gutierrez, C. Frigeri, A. Benali, J.F. Lelièvre, M. Gendry  
Applied Surface Science, 395, 195-199 (2017)  
DOI: <http://doi.org/10.1016/j.apsusc.2016.07.144>  
Factor de Impacto: JCR(4,439), SJR(1,093)  
Posición en categoría JCR: 1/19 Q1 T1 D1 (Materials Science, Coatings & Films)

109.- EFFECT OF AN IN-SITU THERMAL ANNEALING ON THE STRUCTURAL PROPERTIES OF SELF-ASSEMBLED GaSb/GaAs QUANTUM DOTS

N. Fernández-Delgado, M. Herrera, M.F. Chisholm, M.A. Kamarudin, Q.D. Zhuang, M. Hayne, S.I. Molina Applied Surface Science, 395, 136-139 (2017)  
DOI: <http://doi.org/10.1016/j.apsusc.2016.04.131>  
Factor de Impacto: JCR(4,439), SJR(1,093)  
Posición en categoría JCR: 1/19 Q1 T1 D1 (Materials Science, Coatings & Films)

110.- INSIGHTS ON THE COMBUSTION MECHANISM OF ETHANOL AND N-HEXANE IN HONEYCOMB MONOLITHIC TYPE CATALYSTS: INFLUENCE OF THE AMOUNT AND NATURE OF Mn-Cu MIXED OXIDE

M.R. Morales, M.P. Yeste, H. Vidal, J.M. Gatica, L.E. Cadus  
Fuel, 208, 637-646 (2017)

DOI: <http://doi.org/10.1016/j.fuel.2017.07.069>

Factor de Impacto: JCR(4,908), SJR(1,891)

Posición en categoría JCR: 13/137 Q1 T1 D1 (Engineering, Chemical)

111.- PREPARATION OF Au NANOPARTICLES IN A NON-POLAR MEDIUM: OBTAINING HIGH-EFFICIENCY NANOFLUIDS FOR CONCENTRATING SOLAR POWER. AN EXPERIMENTAL AND THEORETICAL PERSPECTIVE

R. Gómez-Villarejo, J. Navas, E.I. Martín, A. Sánchez-Coronilla, T. Aguilar, J.J. Gallardo, D. De Los Santos, R. Alcántara, C. Fernández-Lorenzo, J. Martín-Calleja

Journal of Materials Chemistry A, 5 (24), 12483-12497 (2017)

DOI: <http://doi.org/10.1039/c7ta00986k>

Factor de Impacto: JCR(9,931), SJR(3,488)

Posición en categoría JCR: 6/97 Q1 T1 D1 (Energy & Fuels)

112.- SOFTWARE TO OBTAIN ACCURATE GAUSSIAN EXPANSIONS FOR A WIDE RANGE OF RADIAL FUNCTIONS

V. García, D. Zorrilla, J. Sánchez-Márquez, M. Fernández-Núñez

Journal of Molecular Modeling, 23 (5), 165[1]-165[8] (2017)

DOI: <http://doi.org/10.1007/s00894-017-3340-x>

Factor de Impacto: JCR(1,507), SJR(0,36)

Posición en categoría JCR: 105/171 Q3 T2 D7 (Chemistry, Multidisciplinary)

113.- GADITANONE, A DITERPENOID BASED ON AN UNPRECEDENTED CARBON SKELETON ISOLATED FROM EUPHORBIA GADITANA

M.E. Flores-Giubi, M.J. Durán-Pena, J.M. Botubol-Ares, F. Escobar-Montano, D. Zorrilla, A.J. Macías-Sánchez, R. Hernández-Galán

Journal of Natural Products, 80 (7), 2161-2165 (2017)

DOI: <http://doi.org/10.1021/acs.jnatprod.7b00332>

Factor de Impacto: JCR(3,885), SJR(1,368)

Posición en categoría JCR: 21/222 Q1 T1 D1 (Plant Sciences)

114.- ABSORPTION CAPACITY, KINETICS AND MECHANICAL BEHAVIOUR IN DRY AND WET STATES OF HYDROPHOBIC DEDMS/TEOS-BASED SILICA AEROGELS

V. Morales-Florez, M. Piñero, V. Braza, M. del Mar Mesa, L. Esquivias, N. de la Rosa-Fox

Journal of Sol-Gel Science and Technology, 81 (2), 600-610 (2017)

DOI: <http://doi.org/10.1007/s10971-016-4203-0>

Factor de Impacto: JCR(1,745), SJR(0,477)

Posición en categoría JCR: 6/27 Q1 T1 D3 (Materials Science, Ceramics)

115.- THE IMPACT OF Pd ON THE LIGHT HARVESTING IN HYBRID ORGANIC-INORGANIC PEROVSKITE FOR SOLAR CELLS

J. Navas, A. Sánchez-Coronilla, J.J. Gallardo, J.C. Piñero, D. De los Santos, E.I. Martín, N.C. Hernández, R. Alcántara, C. Fernández-Lorenzo, J. Martín-Calleja

Nano Energy, 34, 141-154 (2017)

DOI: <http://doi.org/10.1016/j.nanoen.2017.02.035>

Factor de Impacto: JCR(13,12), SJR(5,185)

Posición en categoría JCR: 7/146 Q1 T1 D1 (Physics, Applied)

116.- Sb AND N INCORPORATION INTERPLAY IN GaAsSbN/GaAs EPILAYERS NEAR LATTICE-MATCHING CONDITION FOR 1.0–1.16-eV PHOTONIC APPLICATIONS

V. Braza, D.F. Reyes, A. Gonzalo, A.D. Utrilla, T. Ben, J.M. Ulloa, D. González

Nanoscale Research Letters, 12, 356[1]-356[10] (2017)

DOI: <http://doi.org/10.1186/s11671-017-2129-2>

Factor de Impacto: JCR(3,125), SJR(0,713)

Posición en categoría JCR: 33/146 Q1 T1 D3 (Physics, Applied)

117.- FABRICATION AND OPTICAL PROPERTIES OF NANOSTRUCTURED PLASMONIC Al<sub>2</sub>O<sub>3</sub>/Au-Al<sub>2</sub>O<sub>3</sub>/Al<sub>2</sub>O<sub>3</sub> METAMATERIALS

H. Bakkali, E. Blanco, M. Domínguez, J.S. Garitaonandia

Nanotechnology, 28 (33), 335704 (2017)

DOI: <http://doi.org/10.1088/1361-6528/aa7b6c>

Factor de Impacto: JCR(3,404), SJR(1,079)

Posición en categoría JCR: 30/146 Q1 T1 D3 (Physics, Applied)

118.- QUANTITATIVE ANALYSIS OF THE INTERPLAY BETWEEN InAs QUANTUM DOTS AND WETTING LAYER DURING THE GaAs CAPPING PROCESS

D. González, V. Braza, A.D. Utrilla, A. Gonzalo, D.F. Reyes, T. Ben, A. Guzman, A. Hierro,

J.M. Ulloa Nanotechnology, 28 (42), 425702 (2017)

DOI: <http://doi.org/10.1088/1361-6528/aa83e2>

Factor de Impacto: JCR(3,404), SJR(1,079)

Posición en categoría JCR: 30/146 Q1 T1 D3 (Physics, Applied)

119.- MPCVD DIAMOND LATERAL GROWTH THROUGH MICROTERRACES TO REDUCE THREADING DISLOCATIONS DENSITY

F. Lloret, M. Gutierrez, D. Araújo, D. Eon, E. Bustarret

Physica Status Solidi (A) Applications and Materials Science, 214 (11), 1700242[1]-1700242[5] (2017)

DOI: <http://doi.org/10.1002/pssa.201700242>

Factor de Impacto: JCR(1,795), SJR(0,648)

Posición en categoría JCR: 71/146 Q2 T2 D5 (Physics, Applied)

120.- IMPACT OF THERMAL TREATMENTS IN CRYSTALLINE RECONSTRUCTION AND ELECTRICAL PROPERTIES OF DIAMOND OHMIC CONTACTS CREATED BY BORON ION IMPLANTATION

J.C. Piñero, M.P. Villar, D. Araújo, J. Montserrat, B. Antúnez, P. Godignon

Physica Status Solidi (A) Applications and Materials Science, 214 (11), 1700230[1]-1700230[7] (2017) DOI: <http://doi.org/10.1002/pssa.201700230>

Factor de Impacto: JCR(1,795), SJR(0,648)

Posición en categoría JCR: 71/146 Q2 T2 D5 (Physics, Applied)

121.- HOMOAGGLOMERATION AND HETEROAGGLOMERATION OF TiO<sub>2</sub>, IN NANOPARTICLE AND BULK FORM, ONTO FRESHWATER AND MARINE MICROALGAE

M. Sendra, M.P. Yeste, J.M. Gatica, I. Moreno-Garrido, J. Blasco

Science of the Total Environment, 592, 403-411 (2017)  
DOI: <http://doi.org/10.1016/j.scitotenv.2017.03.127>  
Factor de Impacto: JCR(4,61), SJR(1,546)  
Posición en categoría JCR: 27/241 Q1 T1 D2 (Environmental Sciences)

122.- CeO<sub>2</sub>NPs, TOXIC OR PROTECTIVE TO PHYTOPLANKTON? CHARGE OF NANOPARTICLES AND CELL WALL AS FACTORS WHICH CAUSE CHANGES IN CELL COMPLEXITY

M. Sendra, P.M. Yeste, I. Moreno-Garrido, J.M. Gatica, J. Blasco  
Science of the Total Environment, 590-591, 304-315 (2017)  
DOI: <http://doi.org/10.1016/j.scitotenv.2017.03.007>  
Factor de Impacto: JCR(4,61), SJR(1,546)  
Posición en categoría JCR: 27/241 Q1 T1 D2 (Environmental Sciences)

123.- SOLID SAMPLING GRAPHITE FURNACE ATOMIC ABSORPTION SPECTROMETRY FOR THE DIRECT ANALYSIS OF MICROEXTRACTION SOLVENT BARS USED FOR METAL ULTRA-TRACE PRE-CONCENTRATION

R.J. González-Álvarez, J.J. Pinto, D. Bellido-Milla, C. Moreno  
Spectrochimica Acta, Part B: Atomic Spectroscopy, 135 (Sep 2017), 1-5 (2017)  
DOI: <http://doi.org/10.1016/j.sab.2017.06.013>  
Factor de Impacto: JCR(2,854), SJR(0,96)  
Posición en categoría JCR: 10/42 Q1 T1 D3 (Spectroscopy)

124.- DIMENSIONALITY OF THE CRYSTAL GROWTH, EXPONENTS OF THE POWER LAWS AND ACTIVATION ENERGY FOR NUCLEATION AND GROWTH PROCESSES IN GLASS-CRYSTAL TRANSFORMATIONS UNDER NON- ISOTHERMAL REGIME. APPLICATION TO THE CRYSTALLIZATION OF THE Sb<sub>0.13</sub>As<sub>0.35</sub>Se<sub>0.52</sub> GLASSY SEMICONDUCTOR

J.L. Cárdenas-Leal, D.G.-G. Barreda, M. Piñero, J. Vázquez  
Thermochimica Acta, 657, 203-208 (2017)  
DOI: <http://doi.org/10.1016/j.tca.2017.10.007>  
Factor de Impacto: JCR(2,189), SJR(0,605)  
Posición en categoría JCR: 22/59 Q2 T2 D4 (Thermodynamics)

125.- PRODUCING LASTING AMPHIPHOBIC BUILDING SURFACES WITH SELF-CLEANING PROPERTIES

D.S. Facio, L.A.M. Carrascosa, M.J. Mosquera  
Nanotechnology, 28 (26) (2017)  
DOI: <http://doi.org/10.1088/1361-6528/aa73a3>  
Factor de Impacto: JCR(3,404), SJR(1,079)  
Posición en categoría JCR: 30/146 Q1 T1 D3 (Physics, Applied)

126.- CuO/SiO<sub>2</sub> NANOCOMPOSITES: A MULTIFUNCTIONAL COATING FOR APPLICATION ON BUILDING STONE

R. Zarzuela, M. Carbú, M.L.A. Gil, J.M. Cantoral, M.J. Mosquera  
Materials and Design, 114, 364-372 (2017)  
DOI: <http://doi.org/10.1016/j.matdes.2016.11.009>



Factor de Impacto: JCR(4,525), SJR(1,82)

Posición en categoría JCR: 53/285 Q1 T1 D2 (Materials Science, Multidisciplinary)

127.- INFLUENCE OF PRETREATMENTS ON INTERMETALLIC PARTICLES AND CERIUM  
CONVERSION COATING (CECC) IN ALUMINUM AEROSPACE ALLOYS

J.J. Alba Galvín, L. Gonzáles Rovira, J. Botana, M. Bethencourt

EUROCORR 2017 - The Annual Congress of the European Federation of Corrosion, 20th  
International Corrosion Congress and Process Safety Congress 2017 (2017)

Factor de Impacto: No indexada

Posición en categoría JCR: No indexada.

128.- FACILE PREPARATION OF MESOPOROUS SILICA MONOLITHS BY AN INVERSE  
MICELLE MECHANISM

D.S. Facio, M. Luna, M.J. Mosquera

Microporous and Mesoporous Materials, 247, 166-176 (2017)

DOI: <http://doi.org/10.1016/j.micromeso.2017.03.041>

Factor de Impacto: JCR(3,649), SJR(1,08)

Posición en categoría JCR: 12/71 Q1 T1 D2 (Chemistry, Applied)